





tiles.



CEMENT TERRAZZO

A low porosity material comprised of natural stones homogeneously combined with cement and pigment oxide which the variance in these raw materials is a feature of the unique design. The Gemstone's feature is the see-through terrazzo chips that make it even more gorgeous with a lit-up background.

CEMENT TERRAZZO COLLECTION




COLOURS / SIZES / FINISHES


600X600:




GEMSTONE



KIMBERLEY



MINT



OLIVE



NOUGAT



BIANCO WHITE

KIT KAT: SINGLE TILE: 20X150 MM + SHEET SIZE: 305X310 MM



GEMSTONE

Colours are subject to considerable variation throughout different production batches.
We warmly recommend to protect the tiles during laying and grouting, and seal them before and after installation.
Sizes are nominals and as per what declared by the manufacturer, however please consider a possible $\pm 2\text{mm}$.

TECHNICAL SPECIFICATIONS

APPLICATION	outdoor indoor floors walls
BODY	aggregate
PROFILE	rectified
SIZE (mm)	600x600 & Kit Kat (Single Tile- 20x150 mm + Sheet - 305x310 mm)
THICKNESS (mm)	12
VARIATION	V3
FINISH	Honed (Kimberley, Mint, Olive, Nougat, White Bianco) Semi- polished (Gemstone)
SLIP RATING	R9
WATER ABSORPTION	3% > WA < 6%

All specifications as per what declared by the manufacturer.



tiles.

OFFICE & WAREHOUSE

55 Webber Parade, Keilor East VIC 3033

info@ctgtiles.com.au

03 9336 1191

www.ctgtiles.com.au